

| | | | | | |
|--------------|------------------------|------------|------|-------------|---|
| رقم المرفق | ٣٨ | رقم المادة | ٤/١٥ | رقم الإصدار | ٥ |
| عنوان المرفق | مراكز علاج أمراض السمع | | | | |

عيادات ومراكز علاج أمراض السمع

أ. عيادات تقييم و/أو تأهيل أمراض واضطرابات السمع و/أو التوازن:

١. عيادة تقييم أمراض واضطرابات السمع
٢. عيادة تقييم وتأهيل أمراض واضطرابات السمع
٣. عيادة تقييم أمراض واضطرابات السمع والتوازن
٤. عيادة تقييم وتأهيل أمراض واضطرابات السمع والتوازن

ب. مراكز تقييم و/أو تأهيل أمراض واضطرابات السمع و/أو التوازن:

١. مركز تقييم أمراض واضطرابات السمع
٢. مركز تقييم وتأهيل أمراض واضطرابات السمع
٣. مركز تقييم أمراض واضطرابات السمع والتوازن
٤. مركز تقييم وتأهيل أمراض واضطرابات السمع والتوازن

أ. عيادات تقييم و/أو تأهيل أمراض واضطرابات السمع و/أو التوازن

يتم افتتاح العيادة داخل مستشفى أو مجمع طبي يتوفر فيها عيادة أنف وأذن وحنجرة ويعمل بها طبيب نائب أنف وأذن وحنجرة على الأقل.

١. عيادة تقييم أمراض واضطرابات السمع

• وتقدم الخدمات التالية:

- Basic hearing assessment
- Comprehensive hearing assessment
- Evoked potentials assessment
- Hearing screening
- Neonatal hearing screening
- Earmold impressions. Taking earmold impressions (mandatory), fabricating earmold impressions (optional)
- Counselling
- Regular follow ups for hearing reassessment (monitoring)
- Prescribe amplifications
- Prescribe all available amplifications' accessories

• الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م²

٢. غرفة بمساحة ٦ م² لفحص استجابة العصب السمعي خلال النوم الطبيعي

٣. غرفة استشارات بمساحة ٩ م²

• التجهيزات اللازمة لعيادة تقييم أمراض واضطرابات السمع:

- Double wall sound booth (connected to the main building's Heating, Ventilation and Air Conditioning (HVAC) system)
- One room appropriate for evoked potentials testing
- Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions
- Rechargeable Otoscope and its consumables
- Diagnostic Tympanometer and its consumables
- Diagnostic Oto-acoustic emissions and its consumables
- Diagnostic Pure Tone Audiometer and its consumables
- Visual Reinforcement Audiometry
- Diagnostic Evoked Potentials and its consumables
- Screening Evoked Potentials and its consumables
- Earmold impression materials and consumables
- Different toys
- Personal Protective Equipment (PPE) (sanitizers, gloves, masks, gowns and face shields)

• يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعية كحد أدنى.
٢. فنيين سمعية وتخطيب أو تمييز عدد ١ كحد أدنى.

٢. عيادة تقييم وتأهيل أمراض واضطرابات السمع:

• وتقدم الخدمات التالية:

- Basic hearing assessment
- Comprehensive hearing assessment
- Evoked potentials assessment
- Hearing screening
- Neonatal hearing screening
- Counselling
- Earmold impressions. Taking earmold impressions (mandatory), fabricating earmold impressions (optional)
- Dispense or prescribe amplifications
- Program and fit amplifications using appropriate equipment like hearing aids' analyser, conduct necessary fitting testing like Real Ear Measurements (REMs) and Real Ear to Coupler Difference (RECD) based on international recommended standards like the American National Standards Institute (ANSI). This applies to different dispensed amplifications i.e. Hearing Aids (HAs), Bone Anchored Hearing Aid (BAHA) and Cochlear Implants (CIs) and their accessories
- Dispense or prescribe all available amplifications' accessories
- Regular follow ups for hearing reassessment (monitoring)
- Regular follow ups for amplifications' check and reprogramming
- Provide ongoing client support
- Provide a minimum of three years' warranty on dispensed devices and accessories
- Obligated to provide clients with a trial period (at least two weeks), should they wish for, during which clients can decide if they want to fully purchase the amplification option and/or its

accessories or not. Clients should pay a partial fixed amount of the device total price i.e. %10 for the trail period

- Should provide clients with insurance plans for amplifications and/or their accessories i.e. clients can buy insurance plans for their purchased products after the expiration of their warranty or can buy insurance plans that covers all types of damage

● الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م²
٢. غرفة بمساحة ٦ م² لفحص استجابة العصب السمعي خلال النوم الطبيعي.
٣. غرفة استشارات بمساحة ٩ م²
٤. غرفة مفروشة بالموكيت لبرمجة المعينات السمعية بمختلف أنواعها بمساحة لا تقل عن ١٢ م²

● التجهيزات اللازمة لعيادة تقييم وتأهيل أمراض واضطرابات السمع:

- Double wall sound booth (connected to the main building's HVAC system)
- One room appropriate for evoked potentials testing
- Carpeted and sound treated amplification room
- Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions
- Rechargeable Otoscope and its consumables
- Diagnostic Tympanometer and its consumables
- Diagnostic Oto-acoustic emissions and its consumables
- Diagnostic Pure tone audiometer and its consumables
- Visual Reinforcement Audiometry
- Diagnostic Evoked Potentials System and its consumables
- Screening Evoked Potentials and its consumables

- Earmold impression materials and consumables
- Amplification programming station and its consumables (at least a PC and all required programming gadgets) i.e. Hearing aid analyser and/or cochlear implant mapping station
- Different toys
- PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعية كحد أدنى.
٢. فنيين سمعية وتخابط أو تمريض عدد ١ كحد أدنى.

٣. عيادة تقييم أمراض واضطرابات السمع والتوازن:

• وتقدم الخدمات التالية:

- Basic hearing assessment
- Comprehensive hearing assessment
- Evoked potentials assessment
- Hearing screening
- Neonatal hearing screening
- Assessment of balance/vestibular disorders i.e. dizziness and vertigo
- Counselling
- Earmold impressions. Taking earmold impressions (mandatory), fabricating earmold impressions (optional)
- Regular follow ups for hearing reassessment (monitoring)
- Prescribe amplifications
- Prescribe all available amplifications' accessories

• الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م²
٢. غرفة بمساحة ٦ م² لفحص استجابة العصب السمعي خلال النوم الطبيعي.
٣. غرفة استشارات بمساحة ٩ م²
٤. غرفة لفحص التوازن بمساحة لا تقل عن ١٦ م²

• التجهيزات اللازمة لعيادة تقييم أمراض واضطرابات السمع والتوازن:

- Double wall sound booth (connected to the main building's HVAC system)
- One room appropriate for evoked potentials testing

- One room appropriate for balance/vestibular assessment
- Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions
- Rechargeable Otoscope and its consumables
- Diagnostic Tympanometer and its consumables
- Diagnostic Oto-acoustic emissions and its consumables
- Diagnostic Pure Tone Audiometer and its consumables
- Visual Reinforcement Audiometry
- Diagnostic Evoked Potentials and its consumables
- Screening Evoked Potentials and its consumables
- Earmold impression materials and consumables
- Video-Nystagmo-Graphy (VNG) system and its consumables
- Video Head Impulse Test (vHIT) and its consumables
- Rotary chair
- Different toys
- PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعيات كحد أدنى.
٢. فنيين سمعيات وتخاطب أو تمرّض عدد ١ كحد أدنى.

٤. عيادة تقييم وتأهيل أمراض واضطرابات السمع والتوازن:

- وتقدم الخدمات التالية:

Basic hearing assessment

Comprehensive hearing assessment

Evoked potentials assessment

Hearing screening

Neonatal hearing screening

Assessment of balance/vestibular disorders i.e. dizziness and vertigo

Rehabilitation and management of balance/vestibular disorders

Counselling

Earmold impressions. Taking earmold impressions (mandatory), taking and fabricating earmold impressions (optional)

Dispense or prescribe amplifications

Program and fit amplifications using appropriate equipment like hearing aids' analyser, conduct necessary fitting testing like REMs and RECD based on international recommended standards like the ANSI. This applies to different dispensed amplifications i.e. HAs, BAHA and CIs and their accessories

Dispense or prescribe all available amplifications' accessories

Regular follow ups for hearing reassessment (monitoring)

Regular follow ups for amplifications' check and reprogramming

Provide ongoing client support

Provide a minimum of three years' warranty on dispensed devices and accessories

Obligated to provide clients with a trial period (at least two weeks), should they wish for, during which clients can decide if they want to fully purchase the amplification option and/or its accessories or not.

Clients should pay a partial fixed amount of the device total price i.e. %10 for the trial period

Should provide clients with insurance plans for amplifications and/or their accessories i.e. clients can buy insurance plans for their purchased products after the expiration of their warranty or can buy insurance plans that covers all types of damage

• الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م^٢
٢. غرفة بمساحة ٦ م^٢ لفحص استجابة العصب السمعي خلال النوم الطبيعي.
٣. غرفة استشارات بمساحة ٩ م^٢
٤. غرفة مفروشة بالموكيت لبرمجة المعينات السمعية بمختلف أنواعها بمساحة لا تقل عن ١٢ م^٢
٥. غرفة لفحص التوازن بمساحة لا تقل عن ١٦ م^٢
٦. غرفة لتأهيل مرضى اضطرابات التوازن

• التجهيزات اللازمة لعيادة تقييم وتأهيل أمراض واضطرابات السمع والتوازن:

Double wall sound booth (connected to the main building's HVAC system)

One room appropriate for evoked potentials testing

One room appropriate for balance/vestibular assessment

One room appropriate for balance/vestibular rehabilitation and management

Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions

Rechargeable Otoscope and its consumables

Diagnostic Tympanometer and its consumables
Diagnostic Oto-acoustic emissions and its consumables
Diagnostic Pure Tone Audiometer and its consumables
Visual Reinforcement Audiometry
Diagnostic Evoked Potentials and its consumables
Screening Evoked Potentials and its consumables
Earmold impression materials and consumables
Video-Nystagmo-Graphy (VNG) system and its consumables
Video Head Impulse Test (vHIT) and its consumables
Rotary chair
Different toys
PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعية كحد أدنى.
٢. فنيين سمعية وتخاطب أو تمرّض عدد ١ كحد أدنى.

ب. مراكز تقييم و/أو تأهيل أمراض واضطرابات السمع و/أو التوازن

١. مركز تقييم أمراض واضطرابات السمع

• ويقدم الخدمات التالية:

Basic hearing assessment

Comprehensive hearing assessment

Evoked potentials assessment

Hearing screening

Neonatal hearing screening

Earmold impressions. Taking earmold impressions (mandatory), fabricating earmold impressions (optional)

Counselling

Regular follow ups for hearing reassessment (monitoring)

Prescribe amplifications

Prescribe all available amplifications' accessories

• الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م²

٢. غرفة بمساحة ٦ م² لفحص استجابة العصب السمعي خلال النوم الطبيعي.

٣. غرفة استشارات بمساحة ٩ م²

• التجهيزات اللازمة لمركز تقييم أمراض واضطرابات السمع:

Double wall sound booth (connected to the main building's Heating, Ventilation and Air Conditioning (HVAC) system)

One room appropriate for evoked potentials testing

Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions

Rechargeable Otoscope and its consumables

Diagnostic Tympanometer and its consumables

Diagnostic Oto-acoustic emissions and its consumables

Diagnostic Pure Tone Audiometer and its consumables

Visual Reinforcement Audiometry

Diagnostic Evoked Potentials and its consumables

Screening Evoked Potentials and its consumables

Earmold impression materials and consumables

Different toys

PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعية أول (شرط مُلزم في حال تقديم العيادة خدمات فحص ما قبل زراعة القوقعة)
٢. عدد واحد أخصائي سمعية كحد أدنى
٣. فنيين سمعية وتخاطب أو تمرّض عدد ٢ كحد أدنى.

٢. مركز تقييم وتأهيل أمراض واضطرابات السمع:

• ويقدم الخدمات التالية:

Basic hearing assessment

Comprehensive hearing assessment

Evoked potentials assessment

Hearing screening

Neonatal hearing screening

Counselling

Earmold impressions. Taking earmold impressions (mandatory), taking and fabricating earmold impressions (optional)

Dispense or prescribe amplifications

Program and fit amplifications using appropriate equipment like hearing aids' analyser, conduct necessary fitting testing like REMs and RECD based on international recommended standards like the ANSI. This applies to different dispensed amplifications i.e. Hearing Aids HAs, BAHA and CIs and their accessories

Dispense or prescribe all available amplifications' accessories

Regular follow ups for hearing reassessment (monitoring)

Regular follow ups for amplifications' check and reprogramming

Provide ongoing client support

Provide a minimum of three years' warranty on dispensed devices and accessories

Obligated to provide clients with a trail period (at least two weeks), should they wish for, during which clients can decide if they want to fully purchase the amplification option and/or its accessories or not.

Clients should pay a partial fixed amount of the device total price i.e. %10 for the trail period

Should provide clients with insurance plans for amplifications and/or their accessories i.e. clients can buy insurance plans for their purchased products after the expiration of their warranty or can buy insurance plans that covers all types of damage

• الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م^٢
٢. غرفة بمساحة ٦ م^٢ لفحص استجابة العصب السمعي خلال النوم الطبيعي.
٣. غرفة استشارات بمساحة ٩ م^٢
٤. غرفة مفروشة بالموكيت لبرمجة المعينات السمعية بمختلف أنواعها بمساحة لا تقل عن ١٢ م^٢

• التجهيزات اللازمة لمركز تقييم وتأهيل أمراض واضطرابات السمع:

Double wall sound booth (connected to the main building's HVAC system)

One room appropriate for evoked potentials testing

Carpeted and sound treated amplification room

Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions

Rechargeable Otoscope and its consumables

Diagnostic Tympanometer and its consumables

Diagnostic Oto-acoustic emissions and its consumables

Diagnostic Pure tone audiometer and its consumables

Visual Reinforcement Audiometry

Diagnostic Evoked Potentials System and its consumables

Screening Evoked Potentials and its consumables

Earmold impression materials and consumables

Amplification programming station and its consumables (at least a PC and all required programming gadgets) i.e. Hearing aid analyser and/or cochlear implant mapping station

Different toys

PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعيات أول (شرط مُلزم لتقديم خدمات فحص وتأهيل زراعة القوقعة)
٢. عدد واحد أخصائي سمعيات كحد أدنى
٣. فنيين سمعيات وتخابط أو تمرّض عدد ٢ كحد أدنى.

٣. مركز تقييم أمراض واضطرابات السمع والتوازن:

- ويقدم الخدمات التالية:

Basic hearing assessment

Comprehensive hearing assessment

Evoked potentials assessment

Hearing screening

Neonatal hearing screening

Assessment of balance/vestibular disorders i.e. dizziness and vertigo

Earmold impressions. Taking earmold impressions (mandatory), fabricating earmold impressions (optional)

Counselling

Regular follow ups for hearing reassessment (monitoring)

Prescribe amplifications

Prescribe all available amplifications' accessories

- الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م^٢

٢. غرفة بمساحة ٦ م^٢ لفحص استجابة العصب السمعي خلال النوم الطبيعي.

٣. غرفة استشارات بمساحة ٩ م^٢

٤. غرفة لفحص التوازن بمساحة لا تقل عن ١٦ م^٢

- التجهيزات اللازمة لمركز تقييم أمراض واضطرابات السمع والتوازن:

Double wall sound booth (connected to the main building's HVAC system)

One room appropriate for evoked potentials testing

One room appropriate for balance/vestibular assessment

Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions

Rechargeable Otoscope and its consumables

Diagnostic Tympanometer and its consumables

Diagnostic Oto-acoustic emissions and its consumables

Diagnostic Pure Tone Audiometer and its consumables

Visual Reinforcement Audiometry

Diagnostic Evoked Potentials and its consumables

Screening Evoked Potentials and its consumables

Earmold impression materials and consumables

Video-Nystagmo-Graphy (VNG) system and its consumables

Video Head Impulse Test (vHIT) and its consumables

Rotary chair

Different toys

PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعيات أول (شروط مُلزم لتقديم خدمات فحص وتأهيل زراعة القوقعة)
٢. عدد واحد أخصائي سمعيات كحد أدنى
٣. فنيين سمعيات وتخطيب أو تمرير عدد ٢ كحد أدنى.

٤. مركز تقييم وتأهيل أمراض واضطرابات السمع والتوازن:

- ويقدم الخدمات التالية:

Basic hearing assessment

Comprehensive hearing assessment

Evoked potentials assessment

Hearing screening

Neonatal hearing screening

Assessment of balance/vestibular disorders i.e. dizziness and vertigo

Rehabilitation and management of balance/vestibular disorders

Counselling

Earmold impressions. Taking earmold impressions (mandatory), taking and fabricating earmold impressions (optional)

Dispense or prescribe amplifications

Program and fit amplifications using appropriate equipment like hearing aids' analyser, conduct necessary fitting testing like REMs and RECD based on international recommended standards like the ANSI. This applies to different dispensed amplifications i.e. HAs, BAHA and CIs and their accessories

Dispense or prescribe all available amplifications' accessories

Regular follow ups for hearing reassessment (monitoring)

Regular follow ups for amplifications' check and reprogramming

Provide ongoing client support

Provide a minimum of three years' warranty on dispensed devices and accessories

Obligated to provide clients with a trial period (at least two weeks), should they wish for, during which clients can decide if they want to fully purchase the amplification option and/or its accessories or not.

Clients should pay a partial fixed amount of the device total price i.e. %10 for the trial period

Should provide clients with insurance plans for amplifications and/or their accessories i.e. clients can buy insurance plans for their purchased products after the expiration of their warranty or can buy insurance plans that covers all types of damage

• الغُرف:

١. غرفة لفحص السمع ذات جدران ثنائية عازلة (Double wall sound booth): بمساحة ٦ م^٢
٢. غرفة بمساحة ٦ م^٢ لفحص استجابة العصب السمعي خلال النوم الطبيعي.
٣. غرفة استشارات بمساحة ٩ م^٢
٤. غرفة مفروشة بالموكيت لبرمجة المعينات السمعية بمختلف أنواعها بمساحة لا تقل عن ١٢ م^٢
٥. غرفة لفحص التوازن بمساحة لا تقل عن ١٦ م^٢
٦. غرفة لتأهيل مرضى اضطرابات التوازن

• التجهيزات اللازمة لمركز تقييم وتأهيل أمراض واضطرابات السمع والتوازن:

Double wall sound booth (connected to the main building's HVAC system)

One room appropriate for evoked potentials testing

One room appropriate for balance/vestibular assessment

One room appropriate for balance/vestibular rehabilitation and management

Earmold impression lab and its consumables, mandatory only should the clinic wish to take and fabricate earmold impressions

Rechargeable Otoscope and its consumables

Diagnostic Tympanometer and its consumables
Diagnostic Oto-acoustic emissions and its consumables
Diagnostic Pure Tone Audiometer and its consumables
Visual Reinforcement Audiometry
Diagnostic Evoked Potentials and its consumables
Screening Evoked Potentials and its consumables
Earmold impression materials and consumables
Video-Nystagmo-Graphy (VNG) system and its consumables
Video Head Impulse Test (vHIT) and its consumables
Rotary chair
Different toys
PPE (sanitizers, gloves, masks, gowns and face shields)

يشترط توفر الكوادر الطبية التالية:

١. عدد واحد أخصائي سمعيات أول (شرط مُلزم لتقديم خدمات فحص وتأهيل زراعة القوقعة)
٢. عدد واحد أخصائي سمعيات كحد أدنى
٣. فنيين سمعيات وتخاطب أو تمرّض عدد ٢ كحد أدنى.

ملاحظة: في حال عدم توفر الفنيين فإنه يكتفى بأخصائي واحد فقط مقابل عدد ٢ في.